


Front Suspension




1 2 3
Caster
☐ 25°
☐ 30°

A B C
Washers: _____
Axle Height
☐ Up
☐ Middle
☐ Down

Ballstud: _____
Washers: _____
Toe-In/Out: _____
Ride Height: _____

I 0
In
Out

Rear Suspension



1 2 3
Anti-Squat
☐ 1°
☐ 2°

Washer: ☐ std
☐ other: _____

Ride Height: _____
Drive: ☐ CVA ☐ dogbones

A B C
Wheelbase
☐ Front ☐ Mid ☐ Back
Other: _____

I 0

Front Shocks

Shock Spring: _____ Limiters (inside): _____
Shock Oil: _____ wt. Shock Shaft: ☐ standard ☐ unobtainium
Shock Piston: _____

Rear Shocks


Shock Spring: _____ Limiters (inside): _____
Shock Oil: _____ wt. Shock Shaft: ☐ standard ☐ unobtainium
Shock Piston: _____

Engine

Engine: _____ Carb Type: ☐ rotary ☐ slide
Size: ☐ .12 ☐ .15 ☐ other: _____ Restrictor: ☐ .170 ☐ .180 ☐ .190
☐ Pullstart ☐ Non-Pullstart ☐ none
Engine Temp: _____° Pipe: _____
Fuel: _____% Glow Plug: _____

Gearing/Clutch

Clutch Bell/Spur: _____ T/ _____ T
Clutch Shoes: ☐ 2 ☐ other: _____
Clutch Spring: ☐ 1mm ☐ 0.9mm ☐ 0.8mm
Slipper Setting: _____ turns out
Other: _____



dutch shoe cutting diagram

Front Tires

Tire: _____ Compound: _____
Insert: _____
Wheel: _____

Rear Tires

Tire: _____ Compound: _____
Insert: _____
Wheel: _____

Body

Body: _____
Spoiler: _____

Additional Information

Weight: _____ oz. Radio: _____
Location: _____ Steering Servo: _____ Throttle Servo: _____

Race, Track and Vehicle Comments

Qualify: _____ Main: _____ Finish: _____ TQ: ☐
Comments: _____

Track Info:
☐ smooth ☐ bumpy ☐ blue groove
☐ high traction ☐ medium traction ☐ low traction
☐ soft dirt ☐ grass ☐ day ☐ wet ☐ dusty
☐ other: _____